NAME

XkbSetAutoRepeatRate - Sets the attributes of the RepeatKeys control for a keyboard device

SYNOPSIS

Bool XkbSetAutoRepeatRate (Display *display, unsigned int device_spec, unsigned int timeout, unsigned int interval);

ARGUMENTS

```
display
connection to X server

device_spec
device to configure, or XkbUseCoreKbd

timeout
initial delay, ms

interval
delay between repeats, ms
```

DESCRIPTION

The core protocol allows only control over whether or not the entire keyboard or individual keys should auto-repeat when held down. RepeatKeys is a boolean control that extends this capability by adding control over the delay until a key begins to repeat and the rate at which it repeats. RepeatKeys is coupled with the core auto-repeat control: when RepeatKeys is enabled or disabled, the core auto-repeat is enabled or disabled and vice versa.

Auto-repeating keys are controlled by two attributes. The first, *timeout*, is the delay after the initial press of an auto-repeating key and the first generated repeat event. The second, *interval*, is the delay between all subsequent generated repeat events. As with all boolean controls, configuring the attributes that determine how the control operates does not automatically enable the control as a whole.

XkbSetAutoRepeatRate sends a request to the X server to configure the AutoRepeat control attributes to the values specified in *timeout* and *interval*.

XkbSetAutoRepeatRate does not wait for a reply; it normally returns True. Specifying a zero value for either *timeout* or *interval* causes the server to generate a BadValue protocol error. If a compatible version of the Xkb extension is not available in the server, *XkbSetAutoRepeatRate* returns False.

RETURN VALUES

True The *XkbSetAutoRepeatRate* function returns True normally.

False The *XkbSetAutoRepeatRate* function returns False if a compatible version of the

Xkb extension is not available in the server.

DIAGNOSTICS

BadValue An argument is out of range