

NAME

XtGetSelectionParameters - retrieve target parameters for a selection request with a single target

SYNTAX

```
#include <X11/Intrinsic.h>
```

```
void XtGetSelectionParameters(Widget owner, Atom selection, XtRequestId request_id, Atom  
*type_return, XtPointer *value_return, unsigned long *length_return, int *format_return);
```

ARGUMENTS

- | | |
|----------------------|---|
| <i>owner</i> | Specifies the widget that owns the specified selection. |
| <i>selection</i> | Specifies the selection being processed. |
| <i>request_id</i> | Specifies the requestor id in the case of incremental selections, or NULL in the case of atomic transfers. |
| <i>type_return</i> | Specifies a pointer to an atom in which the property type of the parameters will be stored. |
| <i>value_return</i> | Specifies a pointer into which a pointer to the parameters are to be stored. A NULL will be stored if no parameters accompany the request. |
| <i>length_return</i> | Specifies a pointer into which the number of data elements in <i>value_return</i> of size indicated by <i>format_return</i> will be stored. |
| <i>format_return</i> | Specifies a pointer into which the size in bits of the parameter data in the elements of <i>value_return</i> will be stored. |

DESCRIPTION

XtGetSelectionParameters may only be called from within an **XtConvertSelectionProc** or from within the last call to an **XtConvertSelectionIncrProc** with a new *request_id*.

SEE ALSO

XtSetSelectionParameters(3)
X Toolkit Intrinsics - C Language Interface
Xlib - C Language X Interface