NAME

　　XtRegisterDrawable - register a drawable with the Intrinsics event dispatcher

SYNTAX

　　#include <X11/Intrinsic.h>

　　void XtRegisterDrawable(Display* *display*, Drawable *drawable*, Widget *widget*);

　　void XtUnregisterDrawable(Display* *display*, Drawable *drawable*);

ARGUMENTS

　　display　　　　Specifies the drawable's display.

　　drawable　　　　Specifies the drawable to register.

　　widget　　　　Specifies the widget to register the drawable for.

DESCRIPTION

　　XtRegisterDrawable associates the specified drawable with the specified widget so that future calls to **XtWindowToWidget** with the drawable will return the widget. The default event dispatcher will dispatch future core events that arrive with the drawable to the widget as though the event contained the widget's window, but the event itself will not be changed in any way when being passed to even handler or action procedures.

　　If the drawable is already registered with another widget, or if the drawable is the window of a widget in the client's widget tree, the results of calling **XtRegisterDrawable** are undefined.

　　XtUnregisterDrawable removes an association created with **XtRegisterDrawable**. If the drawable is the window of a widget in the client's widget tree the results of calling **XtUnregisterDrawable** are undefined.

SEE ALSO

　　X Toolkit Intrinsics - C Language Interface
　　Xlib - C Language X Interface