

NAME

acl_cmp - compare between two ACLs

LIBRARY

Standard C Library (libc, -lc)

SYNOPSIS

```
#include <sys/types.h>
```

```
#include <sys/acl.h>
```

int

```
acl_cmp_np(acl_t acl1, acl_t acl2);
```

DESCRIPTION

The **acl_cmp_np()** function is a non-portable call that checks if ACLs pointed to by *acl1* and *acl2* are equivalent. The two ACLs are considered equal when they contain the same entries with matching tag types, qualifiers and permissions.

RETURN VALUES

Upon successful completion, this function returns 0 if the given ACLs are equivalent and 1 if they differ. Otherwise, the value -1 is returned, and *errno* indicates the error.

ERRORS

If any of the following conditions occur, the **acl_cmp_np()** function shall return a value of -1 and set *errno* to the corresponding value:

[EINVAL]	Either first or second argument does not point to a valid ACL.
----------	--

SEE ALSO

acl(3), posix1e(3)

STANDARDS

POSIX.1e is described in IEEE POSIX.1e draft 17. Discussion of the draft continues on the cross-platform POSIX.1e implementation mailing list. To join this list, see the FreeBSD POSIX.1e implementation page for more information.

HISTORY

POSIX.1e support was introduced in FreeBSD 4.0, and development continues.

AUTHORS

Gleb Popov