

NAME

acl_strip_np - strip extended entries from an ACL

LIBRARY

Standard C Library (libc, -lc)

SYNOPSIS

```
#include <sys/types.h>
```

```
#include <sys/acl.h>
```

```
acl_t
```

```
acl_strip_np(const acl_t acl, int recalculate_mask);
```

DESCRIPTION

The **acl_strip_np()** function returns a pointer to a trivial ACL computed from the ACL pointed to by the argument *acl*.

This function may cause memory to be allocated. The caller should free any releasable memory, when the new ACL is no longer required, by calling **acl_free(3)** with the *(void*)acl_t* as an argument.

Any existing ACL pointers that refer to the ACL referred to by *acl* shall continue to refer to the ACL.

RETURN VALUES

Upon successful completion, this function shall return a pointer to the newly allocated ACL. Otherwise, a value of *(acl_t)NULL* shall be returned, and *errno* shall be set to indicate the error.

ERRORS

If any of the following conditions occur, the **acl_init()** function shall return a value of *(acl_t)NULL* and set *errno* to the corresponding value:

[EINVAL] Argument *acl* does not point to a valid ACL.

[ENOMEM] The *acl_t* to be returned requires more memory than is allowed by the hardware or system-imposed memory management constraints.

SEE ALSO

acl(3), **acl_is_trivial_np(3)**, **posix1e(3)**

STANDARDS

POSIX.1e is described in IEEE POSIX.1e draft 17. Discussion of the draft continues on the cross-

platform POSIX.1e implementation mailing list. To join this list, see the FreeBSD POSIX.1e implementation page for more information.

HISTORY

POSIX.1e support was introduced in FreeBSD 4.0. The **acl_strip_np()** function was added in FreeBSD 8.0.

AUTHORS

Edward Tomasz Napierala <*trasz@FreeBSD.org*>