

NAME

asn1_object_id_der - API function

SYNOPSIS

```
#include <libtasn1.h>
```

```
int asn1_object_id_der(const char * str, unsigned char * der, int * der_len, unsigned flags);
```

ARGUMENTS

const char * str

An object identifier in numeric, dot format.

unsigned char * der

buffer to hold the returned encoding (may be **NULL**).

int * der_len initially the size of *der* ; will hold the final size.

unsigned flags

must be zero

DESCRIPTION

Creates the DER encoding of the provided object identifier.

RETURNS

ASN1_SUCCESS if DER encoding was OK, **ASN1_VALUE_NOT_VALID** if *str* is not a valid OID, **ASN1_MEM_ERROR** if the *der* vector isn't big enough and in this case *der_len* will contain the length needed.

COPYRIGHT

Copyright (C) 2006-2022 Free Software Foundation, Inc..

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **libtasn1** is maintained as a Texinfo manual. If the **info** and **libtasn1** programs are properly installed at your site, the command

```
info libtasn1
```

should give you access to the complete manual. As an alternative you may obtain the manual from:

<https://www.gnu.org/software/libtasn1/manual/>