

NAME

asn1_parser2tree - API function

SYNOPSIS

```
#include <libtasn1.h>
```

```
int asn1_parser2tree(const char *file, asn1_node *definitions, char *error_desc);
```

ARGUMENTS

const char * file

specify the path and the name of file that contains ASN.1 declarations.

asn1_node * definitions

return the pointer to the structure created from "file" ASN.1 declarations.

char * error_desc

return the error description or an empty string if success.

DESCRIPTION

Function used to start the parse algorithm. Creates the structures needed to manage the definitions included in *file* file.

RETURNS

ASN1_SUCCESS if the file has a correct syntax and every identifier is known,

ASN1_ELEMENT_NOT_EMPTY if *definitions* not **NULL**, **ASN1_FILE_NOT_FOUND** if an error occurred while opening *file* , **ASN1_SYNTAX_ERROR** if the syntax is not correct,

ASN1_IDENTIFIER_NOT_FOUND if in the file there is an identifier that is not defined,

ASN1_NAME_TOO_LONG if in the file there is an identifier with more than

ASN1_MAX_NAME_SIZE characters.

COPYRIGHT

Copyright (C) 2006-2022 Free Software Foundation, Inc..

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **libtasn1** is maintained as a Texinfo manual. If the **info** and **libtasn1** programs are properly installed at your site, the command

```
info libtasn1
```

should give you access to the complete manual. As an alternative you may obtain the manual from:

<https://www.gnu.org/software/libtasn1/manual/>