

NAME

avahi-dnsconfd - Unicast DNS server from mDNS/DNS-SD configuration daemon

SYNOPSIS

avahi-dnsconfd [*options*]

avahi-dnsconfd --kill

avahi-dnsconfd --refresh

avahi-dnsconfd --check

DESCRIPTION

avahi-dnsconfd connects to a running avahi-daemon and runs the script */etc/avahi/avahi-dnsconfd.action* for each unicast DNS server that is announced on the local LAN. This is useful for configuring unicast DNS servers in a DHCP-like fashion with mDNS.

OPTIONS

-D | --daemonize

Daemonize after startup and redirect log messages to syslog.

-s | --syslog

Log to syslog instead of STDERR. Implied by **--daemonize**.

-k | --kill

Kill an already running avahi-dnsconfd. (equivalent to sending a SIGTERM)

-r | --refresh

Tell an already running avahi-dnsconfd to refresh the DNS server data. (equivalent to sending a SIGHUP)

-c | --check

Return 0 as return code when avahi-dnsconfd is already running.

-h | --help

Show help

-v | --version

Show version information

FILES

/etc/avahi/avahi-dnsconfd.action: the script to run when a DNS server is found or removed.

SIGNALS

SIGINT, *SIGTERM*: avahi-dnsconfd will shutdown. This is issued by passing --kill to avahi-daemon.

SIGHUP: avahi-dnsconfd will refresh the DNS server data.

AUTHORS

The Avahi Developers <avahi (at) lists (dot) freedesktop (dot) org>; Avahi is available from <http://avahi.org/>

SEE ALSO

avahi-daemon(8), **avahi-dnsconfd.action(8)**

COMMENTS

This man page was written using **xml2man(1)** by Oliver Kurth.