

**NAME**

**bcmp**, **bcopy**, **bzero**, **memccpy**, **memchr**, **memcmp**, **memcpy**, **memmove**, **memset** - byte string operations

**LIBRARY**

Standard C Library (libc, -lc)

**SYNOPSIS**

**#include <string.h>**

*int*

**bcmp**(*const void \*b1, const void \*b2, size\_t len*);

*void*

**bcopy**(*const void \*src, void \*dst, size\_t len*);

*void*

**bzero**(*void \*b, size\_t len*);

*void \**

**memchr**(*const void \*b, int c, size\_t len*);

*int*

**memcmp**(*const void \*b1, const void \*b2, size\_t len*);

*void \**

**memccpy**(*void \*dst, const void \*src, int c, size\_t len*);

*void \**

**memcpy**(*void \*dst, const void \*src, size\_t len*);

*void \**

**memmove**(*void \*dst, const void \*src, size\_t len*);

*void \**

**memset**(*void \*b, int c, size\_t len*);

**DESCRIPTION**

These functions operate on variable length strings of bytes. They do not check for terminating null bytes as the routines listed in string(3) do.

See the specific manual pages for more information.

### SEE ALSO

`bcmp(3)`, `bcopy(3)`, `bzero(3)`, `memccpy(3)`, `memchr(3)`, `memcmp(3)`, `memcpy(3)`, `memmove(3)`, `memset(3)`

### STANDARDS

The functions `memchr()`, `memcmp()`, `memcpy()`, `memmove()`, and `memset()` conform to ISO/IEC 9899:1990 ("ISO C90").

### HISTORY

The functions `bzero()` and `memccpy()` appeared in 4.3BSD; the functions `bcmp()`, `bcopy()`, appeared in 4.2BSD.