

**NAME**

**dwarf\_add\_funcname** - add information about a static function to a DWARF producer instance

**LIBRARY**

DWARF Access Library (libdwarf, -ldwarf)

**SYNOPSIS**

```
#include <libdwarf.h>
```

*Dwarf\_Unsigned*

```
dwarf_add_funcname(Dwarf_P_Debug dbg, Dwarf_P_Die die, char *name, Dwarf_Error *err);
```

**DESCRIPTION**

Function **dwarf\_add\_funcname**() adds information about a static function to a DWARF producer instance.

Argument *dbg* should reference a DWARF producer instance allocated using `dwarf_producer_init(3)` or `dwarf_producer_init_b(3)`.

Argument *die* specifies the debugging information entry associated with the static function.

Argument *name* should point to a NUL-terminated string containing the name of the static function.

If argument *err* is not NULL, it will be used to store error information in case of an error.

**RETURN VALUES**

On success, function **dwarf\_add\_funcname**() returns a non-zero value. In case of an error, function **dwarf\_add\_funcname**() returns 0 and sets the argument *err*.

**ERRORS**

Function **dwarf\_add\_funcname**() can fail with:

[DW\_DLE\_ARGUMENT] One of the arguments *dbg*, *die* or *name* was NULL.

[DW\_DLE\_MEMORY] An out of memory condition was encountered during the execution of the function.

**SEE ALSO**

`dwarf(3)`, `dwarf_add_pubname(3)`, `dwarf_add_typename(3)`, `dwarf_add_varname(3)`,  
`dwarf_add_weakname(3)`, `dwarf_new_die(3)`, `dwarf_producer_init(3)`, `dwarf_producer_init_b(3)`