

NAME**dwarf_get_fde_n** - retrieve FDE descriptor**LIBRARY**

DWARF Access Library (libdwarf, -ldwarf)

SYNOPSIS

#include <libdwarf.h>

```
int
dwarf_get_fde_n(Dwarf_Fde *fdelist, Dwarf_Unsigned fde_index, Dwarf_Fde *ret_fde,
    Dwarf_Error *err);
```

DESCRIPTION

Function **dwarf_get_fde_n()** retrieves an FDE descriptor from an array of FDE descriptors.

Argument *fdelist* should point to an array of FDE descriptors, as returned by the functions **dwarf_get_fde_list(3)** or **dwarf_get_fde_list_eh(3)**.

Argument *fde_index* specifies the 0-based index of the desired FDE descriptor.

Argument *ret_fde* should point to a location that will hold the returned FDE descriptor.

If argument *err* is not NULL, it will be used to store error information in case of an error.

RETURN VALUES

Function **dwarf_get_fde_n()** returns DW_DLV_OK when it succeeds. It returns DW_DLV_NO_ENTRY if the FDE descriptor index specified by argument *fde_index* is out of range. In case of an error, it returns DW_DLV_ERROR and sets the argument *err*.

ERRORS

Function **dwarf_get_fde_n()** can fail with:

[DW_DLE_ARGUMENT] Either of the arguments *fdelist* or *ret_fde* was NULL.

[DW_DLE_NO_ENTRY] The FDE descriptor index specified by argument *fde_index* was out of range.

SEE ALSO

dwarf(3), **dwarf_get_cie_of_fde(3)**, **dwarf_get_fde_at_pc(3)**, **dwarf_get_fde_info_for_all_regs(3)**,

dwarf_get_fde_info_for_all_regs3(3), dwarf_get_fde_info_for_cfa_reg3(3),
dwarf_get_fde_info_for_reg(3), dwarf_get_fde_info_for_reg3(3), dwarf_get_fde_instr_bytes(3),
dwarf_get_fde_list(3), dwarf_get_fde_list_eh(3), dwarf_get_fde_range(3)