NAME

dwarf vendor ext - add vendor-specific macro information to a DWARF producer instance

LIBRARY

DWARF Access Library (libdwarf, -ldwarf)

SYNOPSIS

#include <libdwarf.h>

int

dwarf_vendor_ext(Dwarf_P_Debug dbg, Dwarf_Unsigned constant, char *string, Dwarf_Error *err);

DESCRIPTION

Function **dwarf_vendor_ext**() adds a vendor-specific macro information entry to a DWARF producer instance.

Argument *dbg* should reference a DWARF producer instance allocated using dwarf_producer_init(3) or dwarf_producer_init_b(3).

Argument *constant* specifies a constant value for the macro information entry.

Argument *string* point to a NUL-terminated string containing the string value for the macro information entry.

If argument err is not NULL, it will be used to store error information in case of an error.

The meaning of the arguments *constant* and *string* are not defined by the DWARF specification, but are instead governed by application and vendor conventions.

RETURN VALUES

On success, function **dwarf_vendor_ext**() returns DW_DLV_OK. In case of an error, function **dwarf_vendor_ext**() returns DW_DLV_ERROR and sets the argument *err*.

ERRORS

Function dwarf_vendor_ext() can fail with:

[DW_DLE_ARGUMENT] Either arguments dbg or string was NULL.

[DW_DLE_MEMORY] An out of memory condition was encountered during the execution of the function.

SEE ALSO

dwarf(3), dwarf_def_macro(3), dwarf_end_macro_file(3), dwarf_producer_init(3), dwarf_producer_init_b(3), dwarf_start_macro_file(3), dwarf_undef_macro(3)