

NAME

editrc - configuration file for editline library

SYNOPSIS

editrc

DESCRIPTION

The **editrc** file defines various settings to be used by the editline(3) library.

The format of each line is:

[prog:]command [arg ...]

command is one of the editline(3) builtin commands. Refer to *BUILTIN COMMANDS* for more information.

prog is the program name string that a program defines when it calls *el_init(3)* to set up editline(3), which is usually *argv[0]*. *command* will be executed for any program which matches *prog*.

prog may also be a *regex(3)* style regular expression, in which case *command* will be executed for any program that matches the regular expression.

If *prog* is absent, *command* is executed for all programs.

BUILTIN COMMANDS

The **editline** library has some builtin commands, which affect the way that the line editing and history functions operate. These are based on similar named builtins present in the *tcsh(1)* shell.

The following builtin commands are available:

bind [-aeklrsy] [*key* [*command*]]

Without options and arguments, list all bound keys and macros, and the editor command or input string to which each one is bound. If only *key* is supplied, show the binding for that key or macro. If *key command* is supplied, bind the editor *command* to that key or macro.

The options are as follows:

- a List or change key bindings in the *vi(1)* mode alternate (command mode) key map.
- e Bind all keys to the standard GNU Emacs-like bindings.

- k** *key* is interpreted as a symbolic arrow key name, which may be one of **up**, **down**, **left** or **right**.
- l** List all editor commands and a short description of each.
- r** Remove the binding of the key or macro *key*.
- s** Define a keyboard macro rather than a key binding or command macro: *command* is taken as a literal string and appended to the input queue whenever *key* is typed. Bound keys and macros in *command* are themselves reinterpreted, and this continues for ten levels of interpretation.
- v** Bind all keys to the standard vi(1)-like bindings.

The editline(7) manual documents all editor commands and contains more information about macros and the input queue.

key and *command* can contain control characters of the form ‘*^character*’ (e.g. ‘*^A*’), and the following backslashed escape sequences:

\a	Bell
\b	Backspace
\e	Escape
\f	Formfeed
\n	Newline
\r	Carriage return
\t	Horizontal tab
\v	Vertical tab
\nnn	The ASCII character corresponding to the octal number <i>nnn</i> .

‘\’ nullifies the special meaning of the following character, if it has any, notably ‘\’ and ‘^’.

echotc [-sv] *arg* ...

Exercise terminal capabilities given in *arg*. If *arg* is ‘baud’, ‘cols’, ‘lines’, ‘rows’, ‘meta’, or ‘tabs’, the value of that capability is printed, with “yes” or “no” indicating that the terminal does or does not have that capability.

-s returns an empty string for non-existent capabilities, rather than causing an error. **-v** causes messages to be verbose.

edit [on | off]

Enable or disable the **editline** functionality in a program.

history list | size *n* | unique *n*

The ‘list’ command lists all entries in the history. The ‘size’ command sets the history size to *n* entries. The ‘unique’ command controls if history should keep duplicate entries. If *n* is non zero, only keep unique history entries. If *n* is zero, then keep all entries (the default).

settc *cap val*

Set the terminal capability *cap* to *val*, as defined in termcap(5). No sanity checking is done.

setty [-a] [-d] [-q] [-x] [+*mode*] [-*mode*] [*mode*] [*char=c*]

Control which tty modes that **editrc** won’t allow the user to change. **-d**, **-q** or **-x** tells **setty** to act on the ‘edit’, ‘quote’ or ‘execute’ set of tty modes respectively; defaulting to **-x**.

Without other arguments, **setty** lists the modes in the chosen set which are fixed on (+*mode*) or off (-*mode*). **-a** lists all tty modes in the chosen set regardless of the setting. With +*mode*, -*mode* or *mode*, fixes *mode* on or off or removes control of *mode* in the chosen set.

Setty can also be used to set tty characters to particular values using *char=value*. If *value* is empty then the character is set to _POSIX_VDISABLE.

telltc List the values of all the terminal capabilities (see termcap(5)).

ENVIRONMENT

EDITRC Names the default configuration file for the editline(3) library.

FILES

~/.editrc Last resort user configuration file for the editline(3) library if no other file is specified.

SEE ALSO

editline(3), regex(3), termcap(5), editline(7)

AUTHORS

The **editline** library was written by Christos Zoulas, and this manual was written by Luke Mewburn, with some sections inspired by tcsh(1).