

NAME

elf32_getphdr, **elf64_getphdr**, **gelf_getphdr** - retrieve an ELF program header table

LIBRARY

ELF Access Library (libelf, -lelf)

SYNOPSIS

```
#include <libelf.h>
```

```
Elf32_Phdr *
elf32_getphdr(Elf *elf);
```

```
Elf64_Phdr *
elf64_getphdr(Elf *elf);
```

```
#include <gelf.h>
```

```
GElf_Phdr *
gelf_getphdr(Elf *elf, int index, GElf_Phdr *dst);
```

DESCRIPTION

These functions retrieve and translate ELF program header information from an ELF descriptor, if this information exists.

Functions **elf32_getphdr()** and **elf64_getphdr()** return a pointer to an array of translated *Elf32_Phdr* and *Elf64_Phdr* descriptors respectively. These descriptors are described in elf(5). The number of entries in this array may be determined using the **elf_getphnum(3)** function.

Function **gelf_getphdr()** will retrieve the program header table entry at index *index* from ELF descriptor *elf*. The translated program header table entry will be written to the address pointed to be argument *dst*.

Applications may inform the library of modifications to a program header table entry by using the **elf_flagphdr(3)** API. Applications using the **gelf(3)** interface need to use the **gelf_update_phdr(3)** API to copy modifications to a program header entry back to the underlying ELF descriptor.

RETURN VALUES

The functions a valid pointer if successful, or NULL in case an error was encountered.

ERRORS

These functions may fail with the following errors:

[ELF_E_ARGUMENT]

Argument *elf* was NULL.

[ELF_E_ARGUMENT]

Argument *elf* was not a descriptor for an ELF object.

[ELF_E_ARGUMENT]

Argument *dst* was NULL.

[ELF_E_ARGUMENT]

Index *index* was out of range.

[ELF_E_CLASS] The class of ELF descriptor *elf* did not match the expected class of the function being called.

[ELF_E_HEADER] ELF descriptor *elf* did not possess an executable header.

[ELF_E_HEADER] ELF descriptor *elf* had a corrupt executable header.

[ELF_E_RESOURCE] An out of memory condition was detected.

[ELF_E_SECTION] The ELF descriptor in argument *elf* did not adhere to the conventions used for extended numbering.

[ELF_VERSION] ELF descriptor *elf* was of an unsupported version.

SEE ALSO

`elf(3)`, `elf32_getehdr(3)`, `elf32_newphdr(3)`, `elf64_getehdr(3)`, `elf64_newphdr(3)`, `elf_flagphdr(3)`, `elf_getphnum(3)`, `gelf(3)`, `gelf_getehdr(3)`, `gelf_newphdr(3)`, `gelf_update_phdr(3)`, `elf(5)`