

**NAME**

**getnetgrent**, **innetgr**, **setnetgrent**, **endnetgrent** - netgroup database operations

**LIBRARY**

Standard C Library (libc, -lc)

**SYNOPSIS**

**#include <netdb.h>**

*int*

**getnetgrent**(*char \*\*host, char \*\*user, char \*\*domain*);

*int*

**getnetgrent\_r**(*char \*\*host, char \*\*user, char \*\*domain, char \*buf, size\_t bufsize*);

*int*

**innetgr**(*const char \*netgroup, const char \*host, const char \*user, const char \*domain*);

*void*

**setnetgrent**(*const char \*netgroup*);

*void*

**endnetgrent**(*void*);

**DESCRIPTION**

These functions operate on the netgroup database file */etc/netgroup* which is described in netgroup(5). The database defines a set of netgroups, each made up of one or more triples:

(host, user, domain)

that defines a combination of host, user and domain. Any of the three fields may be specified as “wildcards” that match any string.

The function **getnetgrent**() sets the three pointer arguments to the strings of the next member of the current netgroup. If any of the string pointers are NULL that field is considered a wildcard.

The functions **setnetgrent**() and **endnetgrent**() set the current netgroup and terminate the current netgroup respectively. If **setnetgrent**() is called with a different netgroup than the previous call, an implicit **endnetgrent**() is implied. The **setnetgrent**() function also sets the offset to the first member of the netgroup.

The function **innetgr()** searches for a match of all fields within the specified group. If any of the **host**, **user**, or **domain** arguments are NULL those fields will match any string value in the netgroup member.

## RETURN VALUES

The function **getnetgrent()** returns 0 for “no more netgroup members” and 1 otherwise. The function **innetgr()** returns 1 for a successful match and 0 otherwise. The functions **setnetgrent()** and **endnetgrent()** have no return value.

## FILES

*/etc/netgroup* netgroup database file

## COMPATIBILITY

The netgroup members have three string fields to maintain compatibility with other vendor implementations, however it is not obvious what use the **domain** string has within BSD.

## SEE ALSO

netgroup(5)

## BUGS

The function **getnetgrent()** returns pointers to dynamically allocated data areas that are freed when the function **endnetgrent()** is called.