

**NAME**

gnutls\_ocsp\_resp\_get\_responder2 - API function

**SYNOPSIS**

```
#include <gnutls/ocsp.h>
```

```
int gnutls_ocsp_resp_get_responder2(gnutls_ocsp_resp_const_t resp, gnutls_datum_t * dn, unsigned flags);
```

**ARGUMENTS**

gnutls\_ocsp\_resp\_const\_t resp

should contain a **gnutls\_ocsp\_resp\_t** type

gnutls\_datum\_t \* dn

newly allocated buffer with name

unsigned flags

zero or **GNUTLS\_X509\_DN\_FLAG\_COMPAT**

**DESCRIPTION**

This function will extract the name of the Basic OCSP Response in the provided buffer. The name will be in the form "C=xxxx,O=yyyy,CN=zzzz" as described in RFC2253. The output string will be ASCII or UTF-8 encoded, depending on the certificate data.

If the responder ID is not a name but a hash, this function will return zero and the *dn* elements will be set to **NULL**.

The caller needs to deallocate memory by calling **gnutls\_free()** on *dn ->data*.

When the flag **GNUTLS\_X509\_DN\_FLAG\_COMPAT** is specified, the output format will match the format output by previous to 3.5.6 versions of GnuTLS which was not not fully RFC4514-compliant.

**RETURNS**

On success, **GNUTLS\_E\_SUCCESS** (0) is returned, otherwise a negative error code is returned. When no data exist it will return **GNUTLS\_E\_REQUESTED\_DATA\_NOT\_AVAILABLE**.

**REPORTING BUGS**

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

**COPYRIGHT**

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

**SEE ALSO**

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>