

NAME

gnutls_privkey_export_gost_raw2 - API function

SYNOPSIS

```
#include <gnutls/abstract.h>
```

```
int gnutls_privkey_export_gost_raw2(gnutls_privkey_t key, gnutls_ecc_curve_t * curve,  
gnutls_digest_algorithm_t * digest, gnutls_gost_paramset_t * paramset, gnutls_datum_t * x,  
gnutls_datum_t * y, gnutls_datum_t * k, unsigned int flags);
```

ARGUMENTS

gnutls_privkey_t key

Holds the public key

gnutls_ecc_curve_t * curve

will hold the curve

gnutls_digest_algorithm_t * digest

will hold the digest

gnutls_gost_paramset_t * paramset

will hold the GOST parameter set ID

gnutls_datum_t * x

will hold the x-coordinate

gnutls_datum_t * y

will hold the y-coordinate

gnutls_datum_t * k

will hold the private key

unsigned int flags

flags from **gnutls_abstract_export_flags_t**

DESCRIPTION

This function will export the GOST private key's parameters found in the given structure. The new parameters will be allocated using **gnutls_malloc()** and will be stored in the appropriate datum.

NOTE

parameters will be stored with least significant byte first. On version 3.6.3 this was incorrectly returned in big-endian format.

RETURNS

GNUTLS_E_SUCCESS on success, otherwise a negative error code.

SINCE

3.6.3

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>