

NAME

gnutls_utf8_password_normalize - API function

SYNOPSIS

```
#include <gnutls/gnutls.h>
```

```
int gnutls_utf8_password_normalize(const unsigned char * password, unsigned plen, gnutls_datum_t *  
out, unsigned flags);
```

ARGUMENTS

const unsigned char * *password*
 contain the UTF-8 formatted password

unsigned *plen* the length of the provided password

gnutls_datum_t * *out*
 the result in an null-terminated allocated string

unsigned *flags*
 should be zero

DESCRIPTION

This function will convert the provided UTF-8 password according to the normalization rules in RFC7613.

If the flag **GNUTLS_UTF8_IGNORE_ERRS** is specified, any UTF-8 encoding errors will be ignored, and in that case the output will be a copy of the input.

RETURNS

GNUTLS_E_INVALID_UTF8_STRING on invalid UTF-8 data, or 0 on success.

SINCE

3.5.7

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.
Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>