

## NAME

gnutls\_x509\_name\_constraints\_check - API function

## SYNOPSIS

```
#include <gnutls/x509.h>
```

```
unsigned gnutls_x509_name_constraints_check(gnutls_x509_name_constraints_t nc,  
gnutls_x509_subject_alt_name_t type, const gnutls_datum_t * name);
```

## ARGUMENTS

gnutls\_x509\_name\_constraints\_t *nc*  
the extracted name constraints

gnutls\_x509\_subject\_alt\_name\_t *type*  
the type of the constraint to check (of type gnutls\_x509\_subject\_alt\_name\_t)

const gnutls\_datum\_t \* *name*  
the name to be checked

## DESCRIPTION

This function will check the provided name against the constraints in *nc* using the RFC5280 rules. Currently this function is limited to DNS names, emails and IP addresses (of type **GNUTLS\_SAN\_DNSNAME**, **GNUTLS\_SAN\_RFC822NAME** and **GNUTLS\_SAN\_IPADDRESS**).

## RETURNS

zero if the provided name is not acceptable, and non-zero otherwise.

## SINCE

3.3.0

## REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

## COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

**SEE ALSO**

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>