

NAME

gnutls_x509_rdn_get_oid - API function

SYNOPSIS

```
#include <gnutls/x509.h>
```

```
int gnutls_x509_rdn_get_oid(const gnutls_datum_t * idn, unsigned indx, void * buf, size_t * buf_size);
```

ARGUMENTS

const gnutls_datum_t * idn

should contain a DER encoded RDN sequence

unsigned indx Indicates which OID to return. Use 0 for the first one.

void * buf a pointer to a structure to hold the peer's name OID

size_t * buf_size

holds the size of *buf*

DESCRIPTION

This function will return the specified Object identifier, of the RDN sequence.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, or **GNUTLS_E_SHORT_MEMORY_BUFFER** is returned and * *buf_size* is updated if the provided buffer is not long enough, otherwise a negative error value.

SINCE

2.4.0

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>