

**NAME**

gsasl\_property\_fast - API function

**SYNOPSIS**

```
#include <gsasl.h>
```

```
const char * gsasl_property_fast(Gsasl_session * sctx, Gsasl_property prop);
```

**ARGUMENTS**

Gsasl\_session \* sctx  
session handle.

Gsasl\_property prop  
enumerated value of Gsasl\_property type, indicating the type of data in *data* .

**DESCRIPTION**

Retrieve the data stored in the session handle for given property *prop* .

The pointer is to live data, and must not be deallocated or modified in any way.

This function will not invoke the application callback.

Return value: Return property value, if known, or NULL if no value known.

**SINCE**

0.2.0

**REPORTING BUGS**

Report bugs to <bug-gsasl@gnu.org>.

General guidelines for reporting bugs: <http://www.gnu.org/gethelp/>

GNU SASL home page: <http://www.gnu.org/software/gsasl/>

**COPYRIGHT**

Copyright (C) 2002-2022 Simon Josefsson.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

**SEE ALSO**

The full documentation for **gsasl** is maintained as a Texinfo manual. If the **info** and **gsasl** programs are properly installed at your site, the command

**info gsasl**

should give you access to the complete manual. As an alternative you may obtain the manual from:

**<http://www.gnu.org/software/gsasl/manual/>**