### **NAME**

gss\_process\_context\_token - Process a token on a security context from a peer application

### **SYNOPSIS**

#include <gssapi/gssapi.h>

OM uint32

gss\_process\_context\_token(OM\_uint32 \*minor\_status, const gss\_ctx\_id\_t context\_handle,
const gss\_buffer\_t token\_buffer);

## **DESCRIPTION**

Provides a way to pass an asynchronous token to the security service. Most context-level tokens are emitted and processed synchronously by **gss\_init\_sec\_context**() and **gss\_accept\_sec\_context**(), and the application is informed as to whether further tokens are expected by the

GSS\_C\_CONTINUE\_NEEDED major status bit. Occasionally, a mechanism may need to emit a context-level token at a point when the peer entity is not expecting a token. For example, the initiator's final call to <code>gss\_init\_sec\_context()</code> may emit a token and return a status of GSS\_S\_COMPLETE, but the acceptor's call to <code>gss\_accept\_sec\_context()</code> may fail. The acceptor's mechanism may wish to send a token containing an error indication to the initiator, but the initiator is not expecting a token at this point, believing that the context is fully established. <code>gss\_process\_context\_token()</code> provides a way to pass such a token to the mechanism at any time.

# **PARAMETERS**

minor\_status Mechanism specific status code.

context\_handle Context handle of context on which token is to be processed.

token\_buffer Token to process.

# **RETURN VALUES**

GSS\_S\_COMPLETE Successful completion

GSS\_S\_DEFECTIVE\_TOKEN Indicates that consistency checks performed on the token failed

GSS\_S\_NO\_CONTEXT The *context\_handle* did not refer to a valid context

# **SEE ALSO**

gss\_accept\_sec\_context(3), gss\_init\_sec\_context(3)

### **STANDARDS**

RFC 2743 Generic Security Service Application Program Interface Version 2, Update 1

RFC 2744 Generic Security Service API Version 2 : C-bindings

### HISTORY

The **gss\_process\_context\_token** function first appeared in FreeBSD 7.0.

### **AUTHORS**

John Wray, Iris Associates

### **COPYRIGHT**

Copyright (C) The Internet Society (2000). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.