

NAME

hexdump - dump a block of bytes to standard out in hexadecimal form

SYNOPSIS

#include <libutil.h>

void

hexdump(*void *ptr, int length, const char *hdr, int flags*);

DESCRIPTION

The **hexdump**() function prints an array of bytes to standard out in hexadecimal form, along with the ASCII representation of the bytes, if possible. By default, each line of output will start with an offset count, followed by 16 hexadecimal values, followed by 16 ASCII characters.

ptr Pointer to the array of bytes to print. It does not need to be NUL-terminated.

length Number of bytes to print.

hdr Pointer to a NUL-terminated character string that will be prepended to each line of output. A value of NULL implies that no header will be printed.

flags Flags for controlling the formatting of the output.

Bits 0-7	Integer value of the number of bytes to display on each line. A value of 0 implies that the default value of 16 will be used.
----------	---

Bits 8-15	Character ASCII value to use as the separator for the hexadecimal output. A value of 0 implies that the default value of 32 (ASCII space) will be used.
-----------	---

HD_OMIT_COUNT	Do not print the offset column at the beginning of each line.
---------------	---

HD_OMIT_HEX	Do not print the hexadecimal values on each line.
-------------	---

HD_OMIT_CHARS	Do not print the character values on each line.
---------------	---

SEE ALSO

ascii(7), sbuf_hexdump(9)

HISTORY

The **hexdump()** function first appeared in FreeBSD 6.4.

AUTHORS

This manual page was written by Scott Long.