NAME

ldap_first_message, ldap_next_message, ldap_count_messages - Stepping through messages in a result chain

LIBRARY

OpenLDAP LDAP (libldap, -lldap)

SYNOPSIS

#include <ldap.h>

int ldap_count_messages(LDAP *ld, LDAPMessage *result)

LDAPMessage *ldap_first_message(LDAP *ld, LDAPMessage *result)

LDAPMessage *ldap_next_message(LDAP *ld, LDAPMessage *message)

DESCRIPTION

These routines are used to step through the messages in a result chain received from **ldap_result**(3). For search operations, the result chain can contain referral, entry and result messages. The **ldap_msgtype**(3) function can be used to distinguish between the different message types.

The **ldap_first_message()** routine is used to retrieve the first message in a result chain. It takes the *result* as returned by a call to **ldap_result(3)**, **ldap_search_s(3)** or **ldap_search_st(3)** and returns a pointer to the first message in the result chain.

This pointer should be supplied on a subsequent call to **ldap_next_message()** to get the next message, the result of which should be supplied to the next call to **ldap_next_message()**, etc.

ldap_next_message() will return NULL when there are no more messages.

These functions are useful when using routines like **ldap_parse_result**(3) that only operate on the first result in the chain.

A count of the number of messages in the result chain can be obtained by calling <code>ldap_count_messages()</code>. It can also be used to count the number of remaining messages in a chain if called with a message, entry or reference returned by <code>ldap_first_message()</code>, <code>ldap_next_message()</code>, <code>ldap_next_message()</code>, <code>ldap_first_entry(3)</code>, <code>ldap_next_entry(3)</code>, <code>ldap_first_reference(3)</code>.

ERRORS

If an error occurs in **ldap_first_message()** or **ldap_next_message()**, NULL is returned. If an error occurs in **ldap_count_messages()**, -1 is returned.

SEE ALSO

 $\label{ldap} \begin{tabular}{l} ldap(3), ldap_search(3), ldap_result(3), ldap_parse_result(3), ldap_first_entry(3), ldap_first_reference(3) \end{tabular}$

ACKNOWLEDGEMENTS

OpenLDAP Software is developed and maintained by The OpenLDAP Project http://www.openldap.org/>. **OpenLDAP Software** is derived from the University of Michigan LDAP 3.3 Release.