

NAME

ldns_dname_left_chop, ldns_dname_label_count - dname label functions

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_rdf* ldns_dname_left_chop(const ldns_rdf *d);
```

```
uint8_t ldns_dname_label_count(const ldns_rdf *r);
```

DESCRIPTION

ldns_dname_left_chop() chop one label off the left side of a dname. so www.nlnetlabs.nl, becomes nlnetlabs.nl This new name is a clone and must be freed with *ldns_deep_free()*

d: the dname to chop

Returns the remaining dname

ldns_dname_label_count() count the number of labels inside a LDNS_RDF_DNAME type rdf.

***r**: the rdf

Returns the number of labels

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to ldns-team@nlnetlabs.nl or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034 and RFC4035.

REMARKS

This manpage was automatically generated from the ldns source code.