

NAME

`ldns_dnssec_rrs_new`, `ldns_dnssec_rrs_free`, `ldns_dnssec_rrs_add_rr`, `ldns_dnssec_rrs_print` - functions for `ldns_dnssecrrs`

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_dnssec_rrs_new();
```

```
void ldns_dnssec_rrs_free(ldns_dnssec_rrs *rrs);
```

```
ldns_status ldns_dnssec_rrs_add_rr(ldns_dnssec_rrs *rrs, ldns_rr *rr);
```

```
void ldns_dnssec_rrs_print(FILE *out, const ldns_dnssec_rrs *rrs);
```

DESCRIPTION

ldns_dnssec_rrs_new()

ldns_dnssec_rrs_free() Frees the list of rrs, but *not* the individual `ldns_rr` records contained in the list

rrs: the data structure to free

ldns_dnssec_rrs_add_rr() Adds an RR to the list of RRs. The list will remain ordered. If an equal RR already exists, this RR will not be added.

rrs: the list to add to

rr: the RR to add

Returns `LDNS_STATUS_OK` on success

ldns_dnssec_rrs_print() Prints the given rrs to the file descriptor

out: the file descriptor to print to

rrs: the list of RRs to print

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to ldns-team@nlnetlabs.nl or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_dnssec_zone. And **perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034** and **RFC4035**.

REMARKS

This manpage was automatically generated from the ldns source code.