

NAME

ldns_key2rr - convert ldns_key to rr

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_rr* ldns_key2rr(const ldns_key *k);
```

DESCRIPTION

ldns_key2rr() converts a *ldns_key* to a public key rr. If the key data exists at an external point, the corresponding rdata field must still be added with *ldns_rr_rdf_push()* to the result rr of this function.

k: the *ldns_key* to convert

Returns *ldns_rr* representation of the key

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to ldns-team@nlnetlabs.nl or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_key. And **perldoc Net::DNS**, **RFC1034**, **RFC1035**, **RFC4033**, **RFC4034** and **RFC4035**.

REMARKS

This manpage was automatically generated from the ldns source code.