

NAME

ldns_pkt, ldns_pkt_section, ldns_pkt_type - request or answer packets types

SYNOPSIS

```
#include <stdint.h>
#include <stdbool.h>

#include <ldns/ldns.h>

ldns_pkt_section();
ldns_pkt_type();
```

DESCRIPTION

ldns_pkt
DNS packet

This structure contains a complete DNS packet (either a query or an answer)

It is the complete representation of what you actually send to a nameserver, and what it sends back (assuming you are the client here).

struct ldns_struct_pkt
{

Header section:

```
ldns_hdr *_header;
/* extra items needed in a packet */
```

an rdf (A or AAAA) with the IP address of the server it is from:

```
ldns_rdf *_answerfrom;
```

Timestamp of the time the packet was sent or created:

```
struct timeval timestamp;
```

The duration of the query this packet is an answer to:

```
uint32_t _querytime;
```

The size of the wire format of the packet in octets:

```
size_t _size;
```

Optional tsig rr:

```
ldns_rr *_tsig_rr;
```

EDNS0 available buffer size, see RFC2671:

```
uint16_t _edns_udp_size;
```

EDNS0 Extended rcode:

```
    uint8_t _edns_extended_rcode;  
EDNS Version:  
    uint8_t _edns_version;  
    /* OPT pseudo-RR presence flag */  
    uint8_t _edns_present;  
Reserved EDNS data bits:  
    uint16_t _edns_z;  
Arbitrary EDNS rdata:  
    ldns_rdf *_edns_data;  
Structed EDNS data:  
    ldns_edns_option_list *_edns_list;  
Question section:  
    ldns_rr_list *_question;  
Answer section:  
    ldns_rr_list *_answer;  
Authority section:  
    ldns_rr_list *_authority;  
Additional section:  
    ldns_rr_list *_additional;  
};  
typedef struct ldns_struct_pkt ldns_pkt;
```

ldns_pkt_section()

ldns_pkt_type()

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to ldns-team@nlnetlabs.nl or in our bugzilla at
<http://www.nlnetlabs.nl/bugs/index.html>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_pkt_new, *ldns_pkt_free*, *ldns_pkt_print*, *ldns_pkt_query_new*, *ldns_pkt_query_new_frm_str*,
ldns_pkt_reply_type, *ldns_pkt_id*, *ldns_pkt_qr*, *ldns_pkt_aa*, *ldns_pkt_tc*, *ldns_pkt_rd*, *ldns_pkt_cd*,
ldns_pkt_ra, *ldns_pkt_ad*, *ldns_pkt_get_opcode*, *ldns_pkt_get_rcode*, *ldns_pkt_qdcount*,
ldns_pkt_ancount, *ldns_pkt_nscount*, *ldns_pkt_arcount*, *ldns_pkt_answerfrom*, *ldns_pkt_querytime*,
ldns_pkt_size, *ldns_pkt_tsig*, *ldns_pkt_question*, *ldns_pkt_answer*, *ldns_pkt_authority*,
ldns_pkt_additional, *ldns_pkt_get_section_clone*, *ldns_pkt_rr_list_by_name*, *ldns_pkt_rr_list_by_type*,
ldns_pkt_rr_list_by_name_and_type, *ldns_pkt_set_flags*, *ldns_pkt_set_id*, *ldns_pkt_set_qr*,
ldns_pkt_set_aa, *ldns_pkt_set_tc*, *ldns_pkt_set_rd*, *ldns_pkt_set_cd*, *ldns_pkt_set_ra*, *ldns_pkt_set_ad*,
ldns_pkt_set_opcode, *ldns_pkt_set_rcode*, *ldns_pkt_set_qdcount*, *ldns_pkt_set_ancount*,
ldns_pkt_set_nscount, *ldns_pkt_set_arcount*, *ldns_pkt_set_answerfrom*, *ldns_pkt_set_querytime*,
ldns_pkt_set_size, *ldns_pkt_set_section_count*, *ldns_pkt_set_tsig*, *ldns_pkt_edns*,
ldns_pkt_edns_udp_size, *ldns_pkt_edns_extended_rcode*, *ldns_pkt_edns_version*, *ldns_pkt_edns_z*,
ldns_pkt_edns_unassigned, *ldns_pkt_edns_data*, *ldns_pkt_set_edns_udp_size*,
ldns_pkt_set_edns_extended_rcode, *ldns_pkt_set_edns_version*, *ldns_pkt_set_edns_z*.
ldns_pkt_set_edns_unassigned, *ldns_pkt_set_edns_data*. And **perldoc Net::DNS**, **RFC1034**, **RFC1035**,
RFC4033, **RFC4034** and **RFC4035**.

REMARKS

This manpage was automatically generated from the ldns source code.