

**NAME**

ldns\_rr\_list\_new, ldns\_rr\_list\_free - ldns\_rr\_list creation and destruction

**SYNOPSIS**

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_rr_list* ldns_rr_list_new(void);
```

```
void ldns_rr_list_free(ldns_rr_list *rr_list);
```

**DESCRIPTION**

*ldns\_rr\_list\_new()* creates a new rr\_list structure.

Returns a new rr\_list structure

*ldns\_rr\_list\_free()* frees an rr\_list structure.

**rr\_list**: the list to free

**AUTHOR**

The ldns team at NLnet Labs.

**REPORTING BUGS**

Please report bugs to [ldns-team@nlnetlabs.nl](mailto:ldns-team@nlnetlabs.nl) or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

**COPYRIGHT**

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

**SEE ALSO**

*ldns\_rr*, *ldns\_rr\_list*. And **perldoc Net::DNS**, **RFC1034**, **RFC1035**, **RFC4033**, **RFC4034** and **RFC4035**.

**REMARKS**

This manpage was automatically generated from the ldns source code.