

NAME

ldns_zone_push_rr, ldns_zone_push_rr_list - add rr's to a ldns_zone

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
bool ldns_zone_push_rr(ldns_zone *z, ldns_rr *rr);
```

```
bool ldns_zone_push_rr_list(ldns_zone *z, const ldns_rr_list *list);
```

DESCRIPTION

ldns_zone_push_rr() push an single rr to a zone structure. This function use pointer copying, so the rr_list structure inside z is modified!

z: the zone to add to

rr: the rr to add

Returns a true on success otherwise false

ldns_zone_push_rr_list() push an rrlist to a zone structure. This function use pointer copying, so the rr_list structure inside z is modified!

z: the zone to add to

list: the list to add

Returns a true on success otherwise false

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to ldns-team@nlnetlabs.nl or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_zone. And **perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034** and **RFC4035**.

REMARKS

This manpage was automatically generated from the ldns source code.