

**NAME**

**mkdep** - construct Makefile dependency list

**SYNOPSIS**

**mkdep** [-ap] [-f *file*] [*flags*] *file* ...

**DESCRIPTION**

The **mkdep** utility takes a set of flags for the C compiler and a list of C source files as arguments and constructs a set of include file dependencies which are written into the file “.depend”. An example of its use in a Makefile might be:

```
CFLAGS= -O -I../include
SRCS= file1.c file2.c
```

```
depend:
    mkdep ${CFLAGS} ${SRCS}
```

where the macro **SRCS** is the list of C source files and the macro **CFLAGS** is the list of flags for the C compiler.

The user has the ability to change the preprocessor and preprocessor options used. For instance, to use **cc** as the preprocessor and to ignore system headers, one would use

```
depend:
    env MKDEP_CPP="cc -E" MKDEP_CPP_OPTS=-MM mkdep \
        ${CFLAGS} ${SRCS}
```

The options are as follows:

- a** Append to the output file, so that multiple **mkdep**'s may be run from a single Makefile.
- f** Write the include file dependencies to *file*, instead of the default “.depend”.
- p** Cause **mkdep** to produce dependencies of the form:

```
program: program.c
```

so that subsequent makes will produce *program* directly from its C module rather than using an intermediate .o module. This is useful for programs whose source is contained in a single module.

**ENVIRONMENT**

**CC** Specifies the C compiler to use. The specified compiler is expected to have options consistent with the GNU C compiler. The default is **cc**.

**MKDEP\_CPP** Specifies the preprocessor to use. The default is "**{CC} -E**".

**MKDEP\_CPP\_OPTS** Specifies the non-CFLAGS options for the preprocessor. The default is "-M".

**FILES**

*.depend* File containing list of dependencies.

**SEE ALSO**

**cc(1)**, **cpp(1)**, **make(1)**

**HISTORY**

The **mkdep** command appeared in 4.3BSD-Tahoe.