#### **NAME**

moncontrol, monstartup - control execution profile

### **LIBRARY**

```
Standard C Library (libc, -lc)
```

### **SYNOPSIS**

```
#include <sys/types.h>
#include <sys/gmon.h>

void
moncontrol(int mode);

void
monstartup(u long lowpc, u long highpc);
```

### DESCRIPTION

An executable program compiled using the **-pg** option to cc(1) automatically includes calls to collect statistics for the gprof(1) call-graph execution profiler. In typical operation, profiling begins at program startup and ends when the program calls exit. When the program exits, the profiling data are written to the file *progname.gmon*, where progname is the name of the program, then gprof(1) can be used to examine the results.

The **moncontrol**() function selectively controls profiling within a program. When the program starts, profiling begins. To stop the collection of histogram ticks and call counts use **moncontrol**( $\theta$ ); to resume the collection of histogram ticks and call counts use **moncontrol**( $\theta$ ). This feature allows the cost of particular operations to be measured. Note that an output file will be produced on program exit regardless of the state of **moncontrol**().

Programs that are not loaded with **-pg** may selectively collect profiling statistics by calling **monstartup**() with the range of addresses to be profiled. The *lowpc* and *highpc* arguments specify the address range that is to be sampled; the lowest address sampled is that of *lowpc* and the highest is just below *highpc*. Only functions in that range that have been compiled with the **-pg** option to cc(1) will appear in the call graph part of the output; however, all functions in that address range will have their execution time measured. Profiling begins on return from **monstartup**().

### **ENVIRONMENT**

The following environment variables affect the execution of **moncontrol**:

PROFIL USE PID If set, the pid of the process is inserted into the filename.

# **FILES**

progname.gmon execution data file

# **SEE ALSO**

cc(1), gprof(1), profil(2), clocks(7)