

**NAME**

**nextafter**, **nextafterf**, **nextafterl**, **nexttoward**, **nexttowardf**, **nexttowardl** - next representable value

**LIBRARY**

Math Library (libm, -lm)

**SYNOPSIS**

**#include** <math.h>

*double*

**nextafter**(*double x, double y*);

*float*

**nextafterf**(*float x, float y*);

*long double*

**nextafterl**(*long double x, long double y*);

*double*

**nexttoward**(*double x, long double y*);

*float*

**nexttowardf**(*float x, long double y*);

*long double*

**nexttowardl**(*long double x, long double y*);

**DESCRIPTION**

These functions return the next machine representable number from *x* in direction *y*.

**SEE ALSO**

ieee(3), math(3)

**STANDARDS**

The **nextafter**(), **nextafterf**(), **nextafterl**(), **nexttoward**(), **nexttowardf**(), and **nexttowardl**() routines conform to ISO/IEC 9899:1999 ("ISO C99"). They implement the Nextafter function recommended by IEEE Std 754-1985, with the extension that **nextafter**(+0.0, -0.0) returns -0.0, and **nextafter**(-0.0, +0.0) returns +0.0.

**HISTORY**

The **nextafter()** function appeared in 4.3BSD, and **nextafterf()** appeared in FreeBSD 2.0.