

**NAME**

**pthread\_cond\_timedwait** - wait on a condition variable for a specific amount of time

**LIBRARY**

POSIX Threads Library (libpthread, -lpthread)

**SYNOPSIS**

```
#include <pthread.h>
```

*int*

```
pthread_cond_timedwait(pthread_cond_t *cond, pthread_mutex_t *mutex,  
    const struct timespec *abstime);
```

**DESCRIPTION**

The **pthread\_cond\_timedwait()** function atomically blocks the current thread waiting on the condition variable specified by *cond*, and releases the mutex specified by *mutex*. The waiting thread unblocks only after another thread calls **pthread\_cond\_signal(3)**, or **pthread\_cond\_broadcast(3)** with the same condition variable, or if the system time reaches the time specified in *abstime*, and the current thread reacquires the lock on *mutex*.

The clock used to measure *abstime* can be specified during creation of the condition variable using **pthread\_condattr\_setclock(3)**.

**RETURN VALUES**

If successful, the **pthread\_cond\_timedwait()** function will return zero. Otherwise an error number will be returned to indicate the error.

**ERRORS**

The **pthread\_cond\_timedwait()** function will fail if:

- |             |   |
|-------------|---|
| [EINVAL]    | The value specified by <i>cond</i> , <i>mutex</i> or <i>abstime</i> is invalid. |
| [ETIMEDOUT] | The system time has reached or exceeded the time specified in <i>abstime</i> .  |
| [EPERM]     | The specified <i>mutex</i> was not locked by the calling thread.                |

**SEE ALSO**

**pthread\_cond\_broadcast(3)**, **pthread\_cond\_destroy(3)**, **pthread\_cond\_init(3)**, **pthread\_cond\_signal(3)**, **pthread\_cond\_wait(3)**, **pthread\_condattr\_setclock(3)**

**STANDARDS**

The **pthread\_cond\_timedwait()** function conforms to ISO/IEC 9945-1:1996 ("POSIX.1").