

**NAME**

`resolvepath()`, `resolvenpath()`, `resolvefpath()` - resolve all symbolic links of a path name

**SYNOPSIS**

```
#include <schily/schily.h>
```

**int**

**resolvepath(path, buf, bufsiz)**

**const char \*path;**

**char \*buf;**

**size\_t bufsiz;**

**int**

**resolvenpath(path, buf, bufsiz)**

**const char \*path;**

**char \*buf;**

**size\_t bufsiz;**

**int**

**resolvefpath(path, buf, bufsiz, flags)**

**const char \*path;**

**char \*buf;**

**size\_t bufsiz;**

**int flags;**

**DESCRIPTION**

**resolvepath()** takes a relative path name and resolves all symbolic links in the path name. The result is a path name that is free of symbolic links. *path* is relative path name that is used as the input. *buf* is the buffer used for the result of the conversion. *bufsiz* is the size of the result buffer.

All “.” components are eliminated and every non-leading “..” component is eliminated together with its preceding directory component. If leading “..” components reach to the root directory, they are replaced by “/”.

**resolvenpath()** behaves like **resolvepath()** except that the file does not need to exist.

**resolvefpath()** takes an additional *flags* parameter from the set of flags from the following set:

**RSPF\_EXIST**           All path components must exist.

**RSPF\_NOFOLLOW\_LAST**

Don't follow symbolic links in the last path component.

**RETURN VALUE**

Upon successful completion, **resolvepath()**, **resolvenpath()** and **resolvefpath()** return the number of bytes placed in the buffer. Otherwise, -1 is returned and `errno` is set to indicate the error. In case of an error, the contents of result buffer is left in an intermediate state.

**ERRORS**

**ERANGE** The path does not fit into the supplied buffer.

**EFAULT** A null pointer was supplied as pathname.

**EINVAL** An empty relative path was supplied.

other Any other value that may be a result of an underlying filesystem operation.

**USAGE**

Applications should not assume that the returned contents of the buffer are null-terminated. This is because the function **resolvepath(3)** may be the Solaris version if the program is compiled on Solaris.

**SEE ALSO**

**resolvepath(3)**, **resolvenpath(3)**, **resolvefpath(3)**

**NOTES**

none