

NAME

scanf_l, **fscanf_l**, **sscanf_l**, **vfscanf_l**, **vscanf_l**, **vsscanf_l** - input format conversion

LIBRARY

Standard C Library (libc, -lc)

SYNOPSIS

```
#include <stdio.h>
#include <xlocale.h>
```

```
int
scanf_l(locale_t loc, const char * restrict format, ...);
```

```
int
fscanf_l(FILE * restrict stream, locale_t loc, const char * restrict format, ...);
```

```
int
sscanf_l(const char * restrict str, locale_t loc, const char * restrict format, ...);
```

```
int
vfscanf_l(FILE * restrict stream, locale_t loc, const char * restrict format, va_list ap);
```

```
int
vscanf_l(locale_t loc, const char * restrict format, va_list ap);
```

```
int
vsscanf_l(const char * restrict str, locale_t loc, const char * restrict format, va_list ap);
```

DESCRIPTION

The above functions scan input according to a specified *format* in the locale *loc*. They behave in the same way as the versions without the _l suffix, but use the specific locale rather than the global or per-thread locale. See the specific manual pages for more information.

SEE ALSO

scanf(3), **xlocale(3)**

STANDARDS

These functions do not conform to any specific standard so they should be considered as non-portable local extensions.

HISTORY

These functions first appeared in Darwin and were first implemented in FreeBSD 9.1.