#### **NAME**

speech-dispatcher - speech synthesis daemon

#### **SYNOPSIS**

**speech-dispatcher** [-{d/s}] [-l {1/2/3/4/5}] [-c com\_method] [-S socket\_path] [-p port] [-t timeout] / [-v] / [-h]

## DESCRIPTION

Speech Dispatcher -- Common interface for Speech Synthesis (GNU GPL)

#### **OPTIONS**

## -d, --run-daemon

Run as a daemon

### -s, --run-single

Run as single application

# -a, --spawn

Start only if autospawn is not disabled

### -l, --log-level

Set log level (between 1 and 5)

# -L, --log-dir

Set path to logging

## -c, --communication-method

Communication method to use ('unix\_socket' or 'inet\_socket')

# -S, --socket-path

Socket path to use for 'unix\_socket' method (filesystem path or 'default')

### -p, --port

Specify a port number for 'inet\_socket' method

## -t, --timeout

Set time in seconds for the server to wait before it shuts down, if it has no clients connected. Setting to 0 disables such shutdown

# -P, --pid-file

Set path to pid file

# -C, --config-dir

Set path to configuration

## -m, --module-dir

Set path to modules

#### -v, --version

Report version of this program

## -D, --debug

Output debugging information into \$TMPDIR/speechd-debug if TMPDIR is exported, otherwise to /tmp/speechd-debug

## -h, --help

Print this info

Please report bugs to speechd-discuss@nongnu.org

#### **COPYRIGHT**

Copyright (C) 2002-2012 Brailcom, o.p.s.

This is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version. Please see COPYING for more details.

#### **SEE ALSO**

The full documentation for **speech-dispatcher** is maintained as a Texinfo manual. If the **info** and **speech-dispatcher** programs are properly installed at your site, the command

# info speech-dispatcher

should give you access to the complete manual.