NAME

vm_map_protect - apply protection bits to a virtual memory region

SYNOPSIS

#include <sys/param.h>
#include <vm/vm.h>
#include <vm/vm_map.h>

int

vm_map_protect(vm_map_t map, vm_offset_t start, vm_offset_t end, vm_prot_t new_prot, vm_prot_t new_maxprot, int flags);

DESCRIPTION

The **vm_map_protect**() function sets the protection bits and maximum protection bits of the address region bounded by *start* and *end* within the map *map*.

If the *flags* argument has the VM_MAP_PROTECT_SET_PROT bit set, then the effective protection is set to *new_prot*.

If the *flags* argument has the VM_MAP_PROTECT_SET_MAXPROT bit set, then the maximum protection is set to *new_maxprot*. Protection bits not included into *new_maxprot* will be cleared from existing entries.

The values specified by *new_prot* and *new_maxprot* are not allowed to include any protection bits that are not set in existing *max_protection* on every entry within the range. The operation will fail if this condition is violated. For instance, this prevents upgrading a shared mapping of a read-only file from read-only to read-write.

The specified range must not contain sub-maps.

IMPLEMENTATION NOTES

The function acquires a lock on the *map* for the duration, by calling vm_map_lock(9). Also, any inprogress wiring operation on the map affecting the specified range will cause **vm_map_protect** to sleep, waiting for completion.

RETURN VALUES

KERN_SUCCESS	The specified protection bits were set successfully.
KERN_INVALID_ARGUMENT	A sub-map entry was encountered in the range,

VM_MAP_PROTECT(9) F	reeBSD Kernel Developer's Manual	VM_MAP_PROTECT(9)
KERN_PROTECTION_FAILUR	E The value of <i>new_prot</i> or <i>new_mo</i> for an entry within the range.	axprot exceed max_protection
KERN_PROTECTION_FAILUR	E The map does not allow simultane execute permissions, but <i>new_pro</i> VM_PROT_WRITE and VM_PR	t has both
KERN_RESOURCE_SHORTAC	E A copy-on-write mapping is trans write, and not enough swap space pages.	•
KERN_OUT_OF_BOUNDS	Both new protection and new max requested, but the specified <i>new_p new_maxprot</i> .	• •

SEE ALSO

vm_map(9)

AUTHORS

This manual page was written by Bruce M Simpson

 ms@spc.org>.