

NAME

xcb_create_colormap -

SYNOPSIS

```
#include <xcb/xproto.h>
```

Request function

```
xcb_void_cookie_t xcb_create_colormap(xcb_connection_t *conn, uint8_t alloc, xcb_colormap_t mid,  
xcb_window_t window, xcb_visualid_t visual);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

alloc One of the following values:

XCB_COLORMAP_ALLOC_NONE

TODO: NOT YET DOCUMENTED.

XCB_COLORMAP_ALLOC_ALL

TODO: NOT YET DOCUMENTED.

TODO: NOT YET DOCUMENTED.

mid TODO: NOT YET DOCUMENTED.

window TODO: NOT YET DOCUMENTED.

visual TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_create_colormap_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.