

NAME

xcb_create_cursor -

SYNOPSIS

```
#include <xcb/xproto.h>
```

Request function

```
xcb_void_cookie_t xcb_create_cursor(xcb_connection_t *conn, xcb_cursor_t cid,  
    xcb_pixmap_t source, xcb_pixmap_t mask, uint16_t fore_red, uint16_t fore_green,  
    uint16_t fore_blue, uint16_t back_red, uint16_t back_green, uint16_t back_blue, uint16_t x,  
    uint16_t y);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>cid</i>	TODO: NOT YET DOCUMENTED.
<i>source</i>	TODO: NOT YET DOCUMENTED.
<i>mask</i>	TODO: NOT YET DOCUMENTED.
<i>fore_red</i>	TODO: NOT YET DOCUMENTED.
<i>fore_green</i>	TODO: NOT YET DOCUMENTED.
<i>fore_blue</i>	TODO: NOT YET DOCUMENTED.
<i>back_red</i>	TODO: NOT YET DOCUMENTED.
<i>back_green</i>	TODO: NOT YET DOCUMENTED.
<i>back_blue</i>	TODO: NOT YET DOCUMENTED.
<i>x</i>	TODO: NOT YET DOCUMENTED.
<i>y</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_create_cursor_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.