

NAME

xcb_dri2_wait_sbc -

SYNOPSIS

```
#include <xcb/dri2.h>
```

Request function

```
xcb_dri2_wait_sbc_cookie_t xcb_dri2_wait_sbc(xcb_connection_t *conn, xcb_drawable_t drawable,
      uint32_t target_sbc_hi, uint32_t target_sbc_lo);
```

Reply datastructure

```
typedef struct xcb_dri2_wait_sbc_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t ust_hi;
    uint32_t ust_lo;
    uint32_t msc_hi;
    uint32_t msc_lo;
    uint32_t sbc_hi;
    uint32_t sbc_lo;
} xcb_dri2_wait_sbc_reply_t;
```

Reply function

```
xcb_dri2_wait_sbc_reply_t *xcb_dri2_wait_sbc_reply(xcb_connection_t *conn,
      xcb_dri2_wait_sbc_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

drawable TODO: NOT YET DOCUMENTED.

target_sbc_hi TODO: NOT YET DOCUMENTED.

target_sbc_lo TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_DRI2_WAIT_SBC*. This field is also present

in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

<i>sequence</i>	The sequence number of the last request processed by the X11 server.
<i>length</i>	The length of the reply, in words (a word is 4 bytes).
<i>ust_hi</i>	TODO: NOT YET DOCUMENTED.
<i>ust_lo</i>	TODO: NOT YET DOCUMENTED.
<i>msc_hi</i>	TODO: NOT YET DOCUMENTED.
<i>msc_lo</i>	TODO: NOT YET DOCUMENTED.
<i>sbc_hi</i>	TODO: NOT YET DOCUMENTED.
<i>sbc_lo</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_dri2_wait_sbc_cookie_t*. Errors have to be handled when calling the reply function *xcb_dri2_wait_sbc_reply*.

If you want to handle errors in the event loop instead, use *xcb_dri2_wait_sbc_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from dri2.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.