

NAME

xcb_dri3_pixmap_from_buffers -

SYNOPSIS

```
#include <xcb/dri3.h>
```

Request function

```
xcb_void_cookie_t xcb_dri3_pixmap_from_buffers(xcb_connection_t *conn, xcb_pixmap_t pixmap,  
xcb_window_t window, uint8_t num_buffers, uint16_t width, uint16_t height, uint32_t stride0,  
uint32_t offset0, uint32_t stride1, uint32_t offset1, uint32_t stride2, uint32_t offset2,  
uint32_t stride3, uint32_t offset3, uint8_t depth, uint8_t bpp, uint64_t modifier, const  
int32_t *buffers);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>pixmap</i>	TODO: NOT YET DOCUMENTED.
<i>window</i>	TODO: NOT YET DOCUMENTED.
<i>num_buffers</i>	TODO: NOT YET DOCUMENTED.
<i>width</i>	TODO: NOT YET DOCUMENTED.
<i>height</i>	TODO: NOT YET DOCUMENTED.
<i>stride0</i>	TODO: NOT YET DOCUMENTED.
<i>offset0</i>	TODO: NOT YET DOCUMENTED.
<i>stride1</i>	TODO: NOT YET DOCUMENTED.
<i>offset1</i>	TODO: NOT YET DOCUMENTED.
<i>stride2</i>	TODO: NOT YET DOCUMENTED.
<i>offset2</i>	TODO: NOT YET DOCUMENTED.
<i>stride3</i>	TODO: NOT YET DOCUMENTED.

<i>offset3</i>	TODO: NOT YET DOCUMENTED.
<i>depth</i>	TODO: NOT YET DOCUMENTED.
<i>bpp</i>	TODO: NOT YET DOCUMENTED.
<i>modifier</i>	TODO: NOT YET DOCUMENTED.
<i>buffers</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_dri3_pixmap_from_buffers_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from dri3.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.