

NAME

xcb_glx_create_context -

SYNOPSIS

```
#include <xcb/glx.h>
```

Request function

```
xcb_void_cookie_t xcb_glx_create_context(xcb_connection_t *conn, xcb_glx_context_t context,  
xcb_visualid_t visual, uint32_t screen, xcb_glx_context_t share_list, uint8_t is_direct);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>context</i>	TODO: NOT YET DOCUMENTED.
<i>visual</i>	TODO: NOT YET DOCUMENTED.
<i>screen</i>	TODO: NOT YET DOCUMENTED.
<i>share_list</i>	TODO: NOT YET DOCUMENTED.
<i>is_direct</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_glx_create_context_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from glx.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.