

NAME

xcb_glx_make_current -

SYNOPSIS

```
#include <xcb/glx.h>
```

Request function

```
xcb_glx_make_current_cookie_t xcb_glx_make_current(xcb_connection_t *conn,
    xcb_glx_drawable_t drawable, xcb_glx_context_t context,
    xcb_glx_context_tag_t old_context_tag);
```

Reply datastructure

```
typedef struct xcb_glx_make_current_reply_t {
    uint8_t      response_type;
    uint8_t      pad0;
    uint16_t     sequence;
    uint32_t     length;
    xcb_glx_context_tag_t context_tag;
    uint8_t      pad1[20];
} xcb_glx_make_current_reply_t;
```

Reply function

```
xcb_glx_make_current_reply_t *xcb_glx_make_current_reply(xcb_connection_t *conn,
    xcb_glx_make_current_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

drawable TODO: NOT YET DOCUMENTED.

context TODO: NOT YET DOCUMENTED.

old_context_tag
 TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_GLX_MAKE_CURRENT*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

context_tag TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_glx_make_current_cookie_t*. Errors have to be handled when calling the reply function *xcb_glx_make_current_reply*.

If you want to handle errors in the event loop instead, use *xcb_glx_make_current_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from glx.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.