

NAME

xcb_input_change_device_control -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Request function

```
xcb_input_change_device_control_cookie_t
    xcb_input_change_device_control(xcb_connection_t *conn, uint16_t control_id,
    uint8_t device_id, xcb_input_device_ctl_t *control);
```

Reply datastructure

```
typedef struct xcb_input_change_device_control_reply_t {
    uint8_t response_type;
    uint8_t xi_reply_type;
    uint16_t sequence;
    uint32_t length;
    uint8_t status;
    uint8_t pad0[23];
} xcb_input_change_device_control_reply_t;
```

Reply function

```
xcb_input_change_device_control_reply_t
    *xcb_input_change_device_control_reply(xcb_connection_t *conn,
    xcb_input_change_device_control_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>control_id</i>	TODO: NOT YET DOCUMENTED.
<i>device_id</i>	TODO: NOT YET DOCUMENTED.
<i>control</i>	TODO: NOT YET DOCUMENTED.

REPLY FIELDS

<i>response_type</i>	The type of this reply, in this case <i>XCB_INPUT_CHANGE_DEVICE_CONTROL</i> . This field is also present in the <i>xcb_generic_reply_t</i> and can be used to tell replies apart from each other.
----------------------	---

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

xi_reply_type TODO: NOT YET DOCUMENTED.

status TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_input_change_device_control_cookie_t*. Errors have to be handled when calling the reply function *xcb_input_change_device_control_reply*.

If you want to handle errors in the event loop instead, use *xcb_input_change_device_control_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.