

NAME

xcb_input_xi_get_selected_events -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Request function

```
xcb_input_xi_get_selected_events_cookie_t
    xcb_input_xi_get_selected_events(xcb_connection_t *conn, xcb_window_t window);
```

Reply datastructure

```
typedef struct xcb_input_xi_get_selected_events_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint16_t num_masks;
    uint8_t pad1[22];
} xcb_input_xi_get_selected_events_reply_t;
```

Reply function

```
xcb_input_xi_get_selected_events_reply_t
    *xcb_input_xi_get_selected_events_reply(xcb_connection_t *conn,
    xcb_input_xi_get_selected_events_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
int xcb_input_xi_get_selected_events_masks_length(const xcb_input_xi_get_selected_events_reply_t
    *reply);
```

```
xcb_input_event_mask_iterator_t xcb_input_xi_get_selected_events_masks_iterator(const
    xcb_input_xi_get_selected_events_reply_t *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

window TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case `XCB_INPUT_XI_GET_SELECTED_EVENTS`.

This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

num_masks TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_input_xi_get_selected_events_cookie_t*. Errors have to be handled when calling the reply function *xcb_input_xi_get_selected_events_reply*.

If you want to handle errors in the event loop instead, use *xcb_input_xi_get_selected_events_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.