

**NAME**

`xcb_input_xi_query_pointer` -

**SYNOPSIS**

```
#include <xcb/xinput.h>
```

**Request function**

```
xcb_input_xi_query_pointer_cookie_t xcb_input_xi_query_pointer(xcb_connection_t *conn,
    xcb_window_t window, xcb_input_device_id_t deviceid);
```

**Reply datastructure**

```
typedef struct xcb_input_xi_query_pointer_reply_t {
    uint8_t          response_type;
    uint8_t          pad0;
    uint16_t         sequence;
    uint32_t         length;
    xcb_window_t     root;
    xcb_window_t     child;
    xcb_input_fp1616_t root_x;
    xcb_input_fp1616_t root_y;
    xcb_input_fp1616_t win_x;
    xcb_input_fp1616_t win_y;
    uint8_t          same_screen;
    uint8_t          pad1;
    uint16_t         buttons_len;
    xcb_input_modifier_info_t mods;
    xcb_input_group_info_t group;
} xcb_input_xi_query_pointer_reply_t;
```

**Reply function**

```
xcb_input_xi_query_pointer_reply_t *xcb_input_xi_query_pointer_reply(xcb_connection_t *conn,
    xcb_input_xi_query_pointer_cookie_t cookie, xcb_generic_error_t **e);
```

**Reply accessors**

```
uint32_t *xcb_input_xi_query_pointer_buttons(const xcb_input_xi_query_pointer_request_t *reply);
```

```
int xcb_input_xi_query_pointer_buttons_length(const xcb_input_xi_query_pointer_reply_t *reply);
```

```
xcb_generic_iterator_t xcb_input_xi_query_pointer_buttons_end(const
```

```
xcb_input_xi_query_pointer_reply_t *reply);
```

## REQUEST ARGUMENTS

*conn* The XCB connection to X11.

*window* TODO: NOT YET DOCUMENTED.

*deviceid* TODO: NOT YET DOCUMENTED.

## REPLY FIELDS

*response\_type* The type of this reply, in this case *XCB\_INPUT\_XI\_QUERY\_POINTER*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence* The sequence number of the last request processed by the X11 server.

*length* The length of the reply, in words (a word is 4 bytes).

*root* TODO: NOT YET DOCUMENTED.

*child* TODO: NOT YET DOCUMENTED.

*root\_x* TODO: NOT YET DOCUMENTED.

*root\_y* TODO: NOT YET DOCUMENTED.

*win\_x* TODO: NOT YET DOCUMENTED.

*win\_y* TODO: NOT YET DOCUMENTED.

*same\_screen* TODO: NOT YET DOCUMENTED.

*buttons\_len* TODO: NOT YET DOCUMENTED.

*mods* TODO: NOT YET DOCUMENTED.

*group* TODO: NOT YET DOCUMENTED.

## DESCRIPTION

## RETURN VALUE

Returns an *xcb\_input\_xi\_query\_pointer\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_input\_xi\_query\_pointer\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_input\_xi\_query\_pointer\_unchecked*. See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

## AUTHOR

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.