

**NAME**

xcb\_randr\_change\_output\_property -

**SYNOPSIS**

```
#include <xcb/randr.h>
```

**Request function**

```
xcb_void_cookie_t xcb_randr_change_output_property(xcb_connection_t *conn,  
    xcb_randr_output_t output, xcb_atom_t property, xcb_atom_t type, uint8_t format, uint8_t mode,  
    uint32_t num_units, const void *data);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>output</i>	TODO: NOT YET DOCUMENTED.
<i>property</i>	TODO: NOT YET DOCUMENTED.
<i>type</i>	TODO: NOT YET DOCUMENTED.
<i>format</i>	TODO: NOT YET DOCUMENTED.
<i>mode</i>	TODO: NOT YET DOCUMENTED.
<i>num_units</i>	TODO: NOT YET DOCUMENTED.
<i>data</i>	TODO: NOT YET DOCUMENTED.

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_randr\_change\_output\_property\_checked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO****AUTHOR**

xcb\_randr\_change\_output\_property(3)

XCB Requests

xcb\_randr\_change\_output\_property(3)

Generated from randr.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.