

NAME

xcb_randr_configure_output_property -

SYNOPSIS

```
#include <xcb/randr.h>
```

Request function

```
xcb_void_cookie_t xcb_randr_configure_output_property(xcb_connection_t *conn,  
    xcb_randr_output_t output, xcb_atom_t property, uint8_t pending, uint8_t range,  
    uint32_t values_len, const int32_t *values);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>output</i>	TODO: NOT YET DOCUMENTED.
<i>property</i>	TODO: NOT YET DOCUMENTED.
<i>pending</i>	TODO: NOT YET DOCUMENTED.
<i>range</i>	TODO: NOT YET DOCUMENTED.
<i>values_len</i>	TODO: NOT YET DOCUMENTED.
<i>values</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_randr_configure_output_property_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from randr.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.