

NAME

xcb_randr_create_lease -

SYNOPSIS

```
#include <xcb/randr.h>
```

Request function

```
xcb_randr_create_lease_cookie_t xcb_randr_create_lease(xcb_connection_t *conn,  
xcb_window_t window, xcb_randr_lease_t lid, uint16_t num_crtcs, uint16_t num_outputs, const  
xcb_randr_crtc_t *crtcs, const xcb_randr_output_t *outputs);
```

Reply datastructure

```
typedef struct xcb_randr_create_lease_reply_t {  
    uint8_t response_type;  
    uint8_t nfd;  
    uint16_t sequence;  
    uint32_t length;  
    uint8_t pad0[24];  
} xcb_randr_create_lease_reply_t;
```

Reply function

```
xcb_randr_create_lease_reply_t *xcb_randr_create_lease_reply(xcb_connection_t *conn,  
xcb_randr_create_lease_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>window</i>	TODO: NOT YET DOCUMENTED.
<i>lid</i>	TODO: NOT YET DOCUMENTED.
<i>num_crtcs</i>	TODO: NOT YET DOCUMENTED.
<i>num_outputs</i>	TODO: NOT YET DOCUMENTED.
<i>crtcs</i>	TODO: NOT YET DOCUMENTED.
<i>outputs</i>	TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_RANDR_CREATE_LEASE*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

nfd TODO: NOT YET DOCUMENTED.

master_fd TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_randr_create_lease_cookie_t*. Errors have to be handled when calling the reply function *xcb_randr_create_lease_reply*.

If you want to handle errors in the event loop instead, use *xcb_randr_create_lease_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from randr.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.